

RESIDENTIAL DEVELOPMENT REQUIREMENTS LOCAL PLANNING POLICY

1. Head of Power

This Local Planning Policy has been adopted pursuant to Planning and Development (Local Planning Schemes) Regulations 2015, Schedule 2 (Deemed Provisions), Clause 4.

2. Applications of this Policy

This policy applies across the City of Karratha to:

- All residential development covered by Residential Design Codes Volume 1 Part B
- Where a variation to a 'deemed-to-comply' provision of the R-Codes Vol. 1 Part B or this Policy is proposed, a development application will be required.

To the extent of any inconsistency between the Policy and the City of Karratha Local Planning Scheme No. 8 (the Scheme), the Scheme prevails. To the extent of any inconsistency between the Policy and any Structure Plan and/or Local Development Plan (LDP), approved by the Western Australian Planning Commission, the Structure Plan and/or LDP prevails.

3. Definitions

Repurposed Dwelling means a building or structure not previously used

as a dwelling, which has been repurposed for use as

a dwelling

Second-hand Dwelling means a dwelling that has been in a different

location and has been dismantled and transported to another location, but does not include a new modular or transportable dwelling.

4. Purpose

The purpose of this Policy is to provide localised guidance, through the modification and replacement of 'deemed-to-comply' provisions for residential Single House and Grouped Dwelling development (subject to R-Codes Vol. 1 – Part B), in the City of Karratha with the aim of achieving acceptable built form outcomes.

5. Objectives

This policy aims to:

- a. implement provisions that amend or replace deemed-to-comply provisions as set out in R-Codes Vol. 1 Part B; and
- b. establish fair, consistent and reasonable development controls to guide the preparation and assessment of applications for single houses, grouped dwellings and ancillary structures; and
- c. protect and enhance the residential amenity of streetscapes and individual properties;
- d. ensure that Repurposed Dwellings or Second-hand Dwellings do not detract from the amenity, character and established streetscape of a residential area.

6. Policy Provisions

6.1 Variations to the Residential Design Codes Volume 1 – Part B Deemed-to-Comply Criteria

Residential Design Code	Modifications to the Deemed-to-Comply Provisions				
5.1.4 Open Space	Clause 5. provision		C4 is modified to include the additional deemed-to-comply The amount of open space to be provided may be reduced by an		
	C4	ii	additional 10% on top of the value shown in Table 1 of the R Codes provided any proposed roofed area is unenclosed on at least two sides (excludes carports and/or roofed vehicle storage areas).		
5.1.6 Building Height	nrovision		A carport does not exceed a total wall height of 3.5m. A carport does not exceed a total overall height of 4.5m. A garage does not exceed a wall height of 3.0m.		
5.2.1 Setback of Garages and Carports	Clause 5. provision		C1.1 is modified to include the additional deemed-to-comply A garage shall be constructed with materials which match or complement the existing dwelling.		
	Clause 5.	Car pro sett 1, a	C1.2 is replaced with the following deemed-to-comply provision: corts with a street setback of 1.5 metres or greater, where the posal can meet the compensation requirements with the street cack in Clause 5.2.1, C1.2 of the Residential Design Codes — Volume and where: The width of the carport does not exceed 60 per cent of the frontage; and		

Residential						
Design Code	Modifications to the Deemed-to-Comply Provisions					
-		ii.	The construction allows an unobstructed view between the			
			dwelling and the street, right of way or equivalent; and			
		iii.	The carport roof pitch, colours and materials are compatible with			
			the dwelling.			
	Clause 5.2.4 is modified to include the additional deemed-to-comply					
	provisions:					
5.2.4 Street	C4.3	Front fences are to be no greater than 1.8 metres in height				
Walls and		Where a swimming pool has been approved and is located within the				
Fences	C4.4	primary street setback area, fencing over 1.2 metres in height is to				
		comprise of 'permeable' slats with vertical gaps of at least 10mm for				
		the length of the proposed front fence.				
	C4.5	Gat	es are not permitted to swing outwards over the road reserve.			
	Clause 5	.3.9,	C9 is replaced with the following deemed-to-comply provisions:			
			Stormwater draining from roofs, driveways, communal streets and			
5.3.9		i	other impermeable surfaces to be directed to a constructed public			
Stormwater	C9		road or dedicated road reserve or drain reserve, via an appropriate			
Management			stormwater management system.			
		ii	For grouped dwellings, a stormwater management plan shall be			
			required to be submitted.			
	Clause 5.4.3, C3ii. The standards for large and multiple outbuildings are					
	replaced	I WITI I	the following deemed-to-comply provisions:			
	C3	i	When in the form of a shipping container, no more than one			
			outbuilding per dwelling site is permitted and is required to meet the development standards in part 6.2 of the Policy.			
		ii	Is not permitted on a vacant lot.			
		11	is not permitted on a vacant lot.			
5.4.3 Outbuildings		iii	Individually or collectively does not exceed 10 percent in aggregate of the site area, to a maximum of 90m ² .			
		iv	Any outbuildings exceeding the 10 percent aggregate must meet permitted height and setback.			
		V	Do not exceed a wall height of 3.6 metres			
		vi	Do not exceed a ridge height of 4.5 metres			
		vii	Not located within the primary or secondary street setback area.			
		viii	Setback in accordance with Table 2a of the Residential Design Codes Volume 1			
		ix	Does not reduce the open space and outdoor living area			
			requirements in Table B of the Residential Design Codes Volume			
			1.			

Residential	Modifications to the Deemed-to-Comply Provisions						
Design Code		• •					
	*Note: th	e sta	andards for small outbuildings are contained in the Residential				
	Design Codes – Volume 1 Part B.						
	Clause 5.	Clause 5.4.4, C4.5 is replaced with the following deemed-to-comply provision:					
5.4.4 External Fixtures, Utilities and Facilities	C4.5	An enclosed, lockable storage area, constructed in a design and material matching the dwelling where visible from the street, accessible from outside the dwelling, with a minimum dimension of 1.5m when provided external to the garage and 1m when provided within the garage and an internal area of at least 4m², for all dwellings.					
	Clause 5.5.1, C1 is modified to include the additional deemed-to-comply						
5.5.1	provision:						
Ancillary			Are not in the form of a repurposed or second-hand dwelling,				
Dwellings	C1	viii.	unless it meets the Minimum Development Standards in part 6.2 of				
	CI		this Policy.				
	Clause 5.5.3, C3 is modified to include the additional deemed-to-comply						
5.5.3 Single	provision:						
Bedroom			Are not in the form of repurposed or second-hand dwelling, unless				
Dwellings	C3	vi.	it meets the Minimum Development Standards in part 6.2 of the Policy.				

6.2 Shipping Containers and Repurposed Dwellings or Secondhand Dwellings

The following Minimum Development Standards apply to development applications for all Shipping Containers, Repurposed Dwellings or Second-hand Dwellings. Where applications seek to vary these requirements, the development shall be assessed against the relevant Design Objectives in 6.2.2 of this policy.

6.2.1 Minimum Development Standards

- Shipping containers used for storage purposes shall be located behind the building line of a dwelling that faces the primary street and should be screened from the public realm;
- b. Shipping containers and Repurposed or Second-hand Dwellings are not permitted to be stacked one atop another and shall be single-storey only;
- c. A Repurposed or Second-hand Dwelling in the form of ancillary accommodation shall have a veranda attached to the building that runs for the length of the building with a minimum width of 2.4m;
- d. Any subfloor spaces of Repurposed or Second-hand Dwellings that may be viewed from the public realm shall be screened with a combination of landscaping and/or building materials to complement the building.

6.2.2 Design Objectives and Considerations

- a. The visual appearance of a shipping container, Repurposed or Second-hand Dwelling is to be compatible with the appearance of dwellings and outbuildings in the surrounding residential area;
- b. Should any part of a shipping container, Repurposed or Second-hand Dwelling be visible from the public domain, design features, fencing and landscaping should be used to adequately screen the structure from the public domain;
- c. The City will consider and may impose conditions of development approval concerning aesthetic considerations such as:
 - i. colour of external surfaces;
 - ii. screening of any subfloor spaces exposed to external view;
 - iii. the construction of verandas and balustrades;
 - iv. perimeter and internal fencing and screening devices;
 - v. the design, installation and maintenance of landscaping and reticulation; and
 - vi. the design, installation and maintenance of crossovers and driveways.

7. Related Documents

- City of Karratha Local Planning Scheme No. 8
- Planning and Development (Local Planning Schemes) Regulations 2015
- Residential Design Codes Volume 1 Part B

8. Version Management

Responsible Business Unit:	Development Services – Planning
Policy No.:	DP07
Previous Policy No.:	DP07 & DP11
Adoption Date:	12580-Feb 2002, 12738-Sep 2002, 13497-Oct 2004, 14223-
	Oct 2007, 14262-Nov 2007, 14640-May 2009, 153400-Mar
	2016; 153478-Jun 2016; 153571-Sep 2016; 154687-Oct
	2020; 154739-Jan 2021; 154993 – Apr 2022; OCM250331-12 –
	March 2025
Next Review Date:	March 2030
Council Resolution	OCM250331-12
Number:	